

**Product Data** 

# **Castrol Hyspin VG Range**

Hydraulic Oils

### **Description**

The Castrol Hyspin™ VG hydraulic oil range is based upon highly refined mineral oil enhanced with rust and oxidation inhibitors.

#### **Application**

Castrol Hyspin VG has been specially formulated to provide protection against rust and oxidation while demonstrating good lubricity. Castrol Hyspin VG is also referred to as a "R & O" (Rust and Oxidation) hydraulic oil. This range is designed for use in hydraulic systems which do not need anti-wear performance but where a degree of rust and oxidation resistance is desirable. It is also suitable for pumps which contain silver-plated components.

The Hyspin VG range is compatible with the most commonly used nitrile, silicone and fluropolymer seal materials.

Hyspin VG is classified as follows:

- DIN 51502 classification HL
- ISO 6743/4 Hydraulic Oils Type HL

Industry Specifications and OEM Approvals by grade:

Hyspin VG 32: Cincinnati Machine P-38 Hyspin VG 46: Cincinnati Machine P-55 Hyspin VG 68: Cincinnati Machine P-54

#### **Advantages**

Compared to coventional Hydraulic oils of the same class Hyspin VG has the following advantages:-

- Good thermal and oxidative stability. Oxidative stability reduces deposit formation, resulting in a cleaner system. This can extend maintenance intervals and lubricant operating life.
- Good protection of yellow metal and ferrous components helps maintain and protect equipment.
- Excellent water separation and hydrolytic stability.
- Excellent demulsibility that permits water and other contaminants to readily separate from the oil in hydraulic or circulating system reservoirs. catalyzing metals while preventing the formation of sludge and varnish deposits during periods of extended high temperature operation.
- Superior oxidation stability resisting thermal degradation in the presence of entrained air and catalyzing metals
  while preventing the formation of sludge and varnish deposits during periods of extended high temperature
  operation.
- Good foam resistance and air release for suppressing foaming without retarding the release of entrained air.
- Outstanding rust and corrosion resistance reducing the catalytic effect of systems metals while protecting systems metals from entrained, condensed moisture

Castrol Paradene R & O provides systems to operate more efficiently reducing operating costs and increasing lubricant and equipment life. Additionally, Castrol Paradene R & O reduces wear and limits formation of deposits leading to less down time and reduced maintenance costs.

## **Typical Characteristics**

Name	Method	Units	22	32	46	68	100	150	220	320	460
ISO Viscosity Grade	-	-	22	32	46	68	100	150	220	320	460
Density @ 15°C / 59°F	ISO 12185 / ASTM D4052	g/ml	0.870	0.870	0.880	0.880	0.880	0.880	0.890	0.890	0.890
Kinematic Viscosity @ 40°C / 104°	ISO 3104 / ASTM D445	mm²/ s	22	32	46	68	100	150	220	321	485
Kinematic Viscosity @ 100°C / 212°F	ISO 3104 / ASTM D445	mm²/ s	4.3	5.4	6.8	8.7	11.2	14.7	18.7	24.8	32.5
Viscosity Index	ISO 2909 / ASTM D2270	-	95	95	95	>95	95	95	95	97	97
Pour Point	ISO 3016 / ASTM D97	°C/°F	-30 / -22	-30 / -22	-30 / -22	-24 / -11	-21 / -6	-18 / 0	-15 / 5	-10 / 14	-7 / 20
Flash Point - open cup method	ISO 2592 / ASTM D92	°C/°F	205 / 401	220 / 428	240 / 464	240 / 464	250 / 482	255 / 491	260 / 500	270 / 518	282 / 540
Foam Sequence I - tendency / stability	ISO 6247 / ASTM D892	ml/ml	30/0	30/0	30/0	30/0	30/0	30/0	30/0	30/0	30/0
Air Release @ 50°C / 122°F	ISO 9120 / ASTM D3427	min	1	2	3	5	8	-	-	-	-
Water Separation @ 54°C / 129°F (40/37/3)	ISO 6614 / ASTM D1401	min	5	10	10	15	20	-	-	-	-
Rust test - distilled water (24 hrs)	ISO 7120 / ASTM D665A	-	Pass	-	-						
Rust test - synthetic seawater (24 hrs)	ISO 7120 / ASTM D665B	-	Pass	-	-						
Gravity, API	ASTM D-287		33.2	33	32	30.9	30	29	28	27.9	27.2
Specific Gravity, API	ASTM D-1298		0.86	0.9	0.9	0.87	0.9	1	0.89	0.89	0.89
Pounds per Gallon	ASTM D-287	lbs.	7.15	7.2	7.2	7.26	7.3	7	7.39	7.4	7.42
Oxidation Life, Hrs. to TAN 2.0	ASTM D-943			7000+	6000+	6000+	6000+				

Subject to usual manufacturing tolerances.

Castrol Hyspin VG Range 13 Dec 2022

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.