

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/20/2016 Version: 1.0

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Pro 2 Oil Treatment
Product code	: 93450
	ance or mixture and uses advised against
Use of the substance/mixture	: Lubricating oil
1.3. Details of the supplier of the safety da	ata sheet
Bardahl Manufacturing Corporation 1400 NW 52nd Street Seattle, WA 98107 T 206-783-4851 - F 206-784-3219 john.wilson@bardahl.com - www.bardahl.com	
1.4. Emergency telephone number	
Emergency number	: 800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	xture
GHS-US classification	
Skin Sens. 1	H317
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: May cause an allergic skin reaction
Precautionary statements (GHS-US)	 Avoid breathing mist, vapours Contaminated work clothing must not be allowed out of the workplace Wear eye protection, protective gloves If on skin: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	
SECTION 3: Composition/information	on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet according to Federal Register / V

Name	Product identifier	%	GHS-US classification
Mineral Oil	(CAS No) 8012-95-1	1 - 5	Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Naphthenic Acid	(CAS No) 1338-24-5	0.1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Full text of H-phrases: see section 16			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep	comfortable for brea	athing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take Get medical advice/attention.	off contaminated clo	thing. If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse eyes with water as a precautio		
First-aid measures after ingestion	: If you feel unwell, seek medical advice	ce (show the label wh	iere possible).
4.2. Most important symptoms and effe			
Symptoms/injuries after inhalation	: None under normal use.		
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.		
Symptoms/injuries after eye contact	: May cause slight irritation.		
Symptoms/injuries after ingestion	: Gastrointestinal complaints.		
	al attention and special treatment need	ed	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Car	bon dioxide.	
5.2. Special hazards arising from the s	ubstance or mixture		
Reactivity	: The product is non-reactive under no	ormal conditions of us	e, storage and transport.
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without apparatus. Complete protective cloth		quipment. Self-contained breathing
SECTION 6: Accidental release mea	asures		
6.1. Personal precautions, protective e	quipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact dust/fume/gas/mist/vapours/spray.	t with skin and eyes.	Avoid breathing
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without refer to section 8: "Exposure controls		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containn	nent and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent ma	aterial.	
Other information	: Dispose of materials or solid residue	s at an authorized site	е.
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work s mist, vapours. Wear personal protect		with skin and eyes. Avoid breathing
Hygiene measures			the workplace. Wash contaminated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Pro 2 Oil Treatment	
ACGIH	Not applicable
OSHA	Not applicable
Mineral Oil (8012-95-1)	
OSHA	Not applicable
Naphthenic Acid (1338-24-5	
ACGIH	Not applicable
OSHA	Not applicable

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

4/20/2016	EN (English)	3/6
Decomposition temperature	: No data available	
uto-ignition temperature	: No data available	
og Kow	: No data available	
og Pow	: No data available	
Solubility	 Insoluble in water. Water: Solubility in water of component(s) of the mixture : Mineral Oil : < 0.1 g/100ml 	
Density	: 0.873 g/cm ³ Typical	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
apour pressure	: No data available	
Dxidising properties	: No data available	
Explosive properties	: No data available	
Explosive limits	: No data available	
lammability (solid, gas)	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
lash point	: > 200 °C PMCC	
Boiling point	: No data available	
reezing point	: No data available	
lelting point	: Not applicable	
Н	: No data available	
Dour threshold	: No data available	
Ddour	: characteristic	
Colour	: amber	
ppearance	: Viscous liquid.	
hysical state	: Liguid	

Safety Data Sheet

Viscosit	ty	: No data available
Viscosit	ty, kinematic	: 525 cSt @ 100 C (typical)
Viscosit	ty, dynamic	: No data available
9.2.	Other information	
No addi	itional information available	
SECT	ION 10: Stability and	reactivity
10.1.	Reactivity	
The pro	duct is non-reactive under	normal conditions of use, storage and transport.
10.2.	Chemical stability	
Stable ι	under normal conditions.	
10.3.	Possibility of hazardou	s reactions
No dang	gerous reactions known une	der normal conditions of use.
10.4.	Conditions to avoid	
None ur	nder recommended storage	and handling conditions (see section 7).
10.5.	Incompatible materials	
No addi	itional information available	
10.6.	Hazardous decomposit	ion products
No addi	itional information available	
SECT	ION 11: Toxicologica	al information
11.1.	Information on toxicolo	gical effects
Acute to	oxicity	: Not classified

Mineral Oil (8012-95-1)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
Naphthenic Acid (1338-24-5)	
LD50 oral rat	3000 - 5000 mg/kg (Rat)
ATE US (oral)	3000.000 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: May cause slight irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.

SECT	ON 12: Ecological information	
12.1.	Toxicity	
Ecology	- general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
Mineral Oil (8012-95-1)	
Persistence and degradability	Contains non readily biodegradable component(s).
Naphthenic Acid (1338-24-5)	
Persistence and degradability	Biodegradability in water: no data available. Adsorbs into the soil.
12.3. Bioaccumulative potential	
Mineral Oil (8012-95-1)	
Bioaccumulative potential	No bioaccumulation data available.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: Not Applicable
UN-No.(DOT)	: Not Applicable
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
	: Not Applicable
Proper Shipping Name (IMDG)	: Not Regulated
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Pro 2 Oil Treatment	estances Central Act) inventory
Not listed on the United States TSCA (Toxic Sub	
Mineral Oil (8012-95-1) Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
Naphthenic Acid (1338-24-5)	
Listed on the United States TSCA (Toxic Substa	
Not listed on SARA Section 313 (Specific toxic c	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb
15.2. International regulations	
CANADA	
No additional information available	
EU-Regulations	
No additional information available	
04/20/2016	EN (English) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

National regulations

No additional information available

15.3. US State regulations

Mineral Oil (8012-95-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

Naphthenic Acid (1338-24-5)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Categor
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eve damage/eve irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H413	May cause long lasting harmful effects to aquatic life
IFPA fire hazard IFPA reactivity	 1 - Must be preheated before ignition can occur. 0 - Normally stable, even under fire exposure conditions,
	: 0 - Normally stable, even under fire exposure conditions,
FPA reactivity	: 0 - Normally stable, even under fire exposure conditions,
IFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
FPA reactivity MIS III Rating ealth	 : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. : 1 Slight Hazard - Irritation or minor reversible injury possible : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,
FPA reactivity MIS III Rating ealth ammability	 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 1 Slight Hazard - Irritation or minor reversible injury possible 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Visit SCL http://shop.sclubricants.com/protex-pro-2-engine-treatment-12x11oz