



# BIZOL Green Oil+ 5W-30

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/06/2017

Version: 1.0

SDS No: 11524-0005

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : BIZOL Green Oil+ 5W-30

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Motor oil

#### 1.3. Supplier

BIZOL BITA Trading GmbH  
Martin-Buber-Straße 12  
Berlin, 14163 - Germany  
T +49 30 804869 0 - F +49 30 804 869 2860  
Southern Counties Lubricants

#### 1.4. Emergency telephone number

Emergency number : +49 30 804869 0 (Mo-Fr 08:00 - 17:00)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Hazardous to the aquatic environment - Chronic Hazard Category 3 H412 Harmful to aquatic life with long lasting effects

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labeling

Hazard statements (GHS-US) : H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (GHS-US) : P273 - Avoid release to the environment

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7	25 - <100	Asp. Tox. 1, H304
2,6-di-tert-butylphenol	(CAS-No.) 128-39-2	0,1 - < 0,3	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.



# BIZOL Green Oil+ 5W-30

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 11524-0005

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Alcohol resistant foam.  
Unsuitable extinguishing media : Strong water jet.

#### 5.2. Specific hazards arising from the chemical

Reactivity : No dangerous reactions known.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Collect contaminated firefighting water separately, must not be discharged into the drains. Cool containers at risk with water spray jet.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up. Keep only in original container.  
Storage area : Keep away from food, drink and animal feeding stuffs. Store away from direct sunlight or other heat sources.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Not applicable

##### 2,6-di-tert-butylphenol (128-39-2)

Not applicable

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

The exact break through time has to be found out by the manufacturer of the protective gloves. Glove material must be impermeable and resistant against product / substance / preparation. Gloves material should comply with breakthrough times, permeation rates, and degradation.

Type	Material	Permeation	Thickness (mm)	Penetration
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	

#### Eye protection:

Safety glasses with side shields

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition
Filtering Half-face mask (DIN EN 149)	(FFP3)	Mist formation

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Color : Green  
Odor : characteristic  
Odor threshold : No data available  
pH : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : > 220 °C EN ISO 2529  
Relative evaporation rate (butyl acetate=1) : No data available  
Flammability (solid, gas) : Not applicable.  
Vapor pressure : No data available  
Relative vapor density at 20 °C : No data available  
Relative density : No data available  
Specific gravity / density : 0.86 g/ml @ 15°C, DIN 51757  
Solubility : insoluble in water.  
Log Pow : 3.7 - 5.2 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity, kinematic : 71 mm<sup>2</sup>/s @ 40°C, ASTM D 7042  
Viscosity, dynamic : No data available  
Explosion limits : LEL: 0.6 vol %  
UEL: 6.5 vol %  
Explosive properties : No data available  
Oxidizing properties : No data available



# BIZOL Green Oil+ 5W-30

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 11524-0005

### 9.2. Other information

VOC content : 0 %  
Additional information : Pourpoint: -39 °C (DIN ISO 3016)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified  
Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Specific target organ toxicity – single exposure : Not classified  
Specific target organ toxicity – repeated exposure : Not classified  
Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### BIZOL Green Oil+ 5W-30

Log Kow	3.7 - 5.2 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
---------	---

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on global warming : No known effects from this product.



# BIZOL Green Oil+ 5W-30

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 11524-0005

GWPmix comment : No known effects from this product.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Empty remaining contents. Packaging that cannot be cleaned should be disposed of like the product. Do not re-use empty containers without proper cleaning or reconditioning.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not applicable

#### Transportation of Dangerous Goods

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

##### 2,6-di-tert-butylphenol (128-39-2)

EPA TSCA Regulatory Flag

TP - TP - indicates a substance that is the subject of a proposed Section 4 test rule under TSCA.

#### 15.2. International regulations

##### CANADA

##### Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

##### 2,6-di-tert-butylphenol (128-39-2)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### SECTION 16: Other information

Data sources : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.



# BIZOL Green Oil+ 5W-30

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
SDS No: 11524-0005

### Full text of H-phrases:

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS US (HazCom 2012) GBK Logo links

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*