

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Code:

Use:

Product Name: Lubegard® COMPLETE™ CVT Fluid with LXE®

68112, 68113, 68232, 68475, 68330, 69450

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Lubricant.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address:	International Lubricants, Inc. P.O. Box 24743, Seattle WA 98124-0743, USA
Telephone Number:	(206) 762-5343 (800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone	CHEM TEL (800) 255-3924
Number:	CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Acute toxicity 4 – Inhalation Skin Sensitization 1


2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:



Signal Word:	Warning
Hazard Statement:	Harmful if inhaled. May cause an allergic skin reaction.
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
Response:	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Storage:	Not applicable.
Disposal:	Dispose of contents and container in accordance with all local, regional, national and international regulations.

NEXREG





2.3 ADDITIONAL INFORMATION

Hazards not otherwise specified: Not applicable.

10 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	CAS No	Wt. %
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	30 - 60
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	30 - 60
Lubricating oils (petroleum), C15-C30, hydrotreated neutral oil-based	72623-86-0	1 - 5
Tris(2-ethylhexyl) orthoborate	2467-13-2	0.5 - 1.5
Dibutyl phosphite	1809-19-4	0.5 - 1.5
Benzene, polypropene derivatives, sulfonated, calcium salts	75975-85-8	0.1 - 1
Diphenylamine	122-39-4	0.1 - 1
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	61791-44-4	0.1 - 1

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.	
Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.	
Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Seek medical attention or call poison control.	
4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
Eye:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Skin:	May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.	
Inhalation:	Harmful if inhaled. May cause respiratory tract irritation. Vapors may cause drowsiness or dizziness.	
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea, vomiting, or CNS depression.	
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED		
Note to Physicians:	Symptoms may not appear immediately.	





Section 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a direct stream of water.

5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon, oxides of nitrogen.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Use water spray to keep fire-exposed containers cool. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for Cleaning-Up:	Scoop up material and place in a disposal container. Provide ventilation.

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling:	Avoid contact with skin and eyes. Do not swallow. Avoid breathing dust/ fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. (See section 8)		
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES			
Storage:	Keep out of the reach of children. Keep container tightly closed in a cool place. Do not store at temperatures above 49 °C / 120 °F. (See section 10)		

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV
Distillates (petroleum), hydrotreated light paraffinic	Not available.	Not available.
Distillates (petroleum), hydrotreated heavy paraffinic	Not available.	Not available.
Lubricating oils (petroleum), C15-C30, hydrotreated neutral oil-based	Not available.	Not available.

Tris(2-ethylhexyl) orthoborate	Not available.	Not available.
Dibutyl phosphite	Not available.	Not available.
Benzene, polypropene derivatives, sulfonated, calcium salts	Not available.	Not available.
Diphenylamine	10 mg/m ³	10 mg/m ³
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	Not available.	Not available.

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

Skin Protection:

Hand Protection: Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Health and Safety	Handle according to established industrial hygiene and safety
Measures:	practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear.
Color:	Gold.
Odor:	Characteristic.
Odor Threshold:	Not available.
Physical State:	Liquid.
pH:	Not available.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	~ 189 °C (372 °F)
Evaporation Rate:	Not available.
Flammability:	Not flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density/Specific Gravity:	0.84
Solubility:	Insoluble.





Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	33.6 cSt @ 40 °C (104 °F)
Oxidizing Properties:	Not available.
Explosive Properties:	Not available.

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

Oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Eye contact, skin contact, skin absorption, inhalation, ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Eye:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Skin:	May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea, vomiting, or CNS depression.
Inhalation:	Harmful if inhaled. May cause respiratory tract irritation. Vapors may cause drowsiness or dizziness.

Acute Toxicity:

Ingredient	LC50	LD50
		Oral Rat > 5000 mg/kg;
Distillates (petroleum), hydrotreated light paraffinic	Not available.	Dermal Rabbit > 2000 mg/kg
		Oral Rat >15000 mg/kg;
Distillates (petroleum), hydrotreated heavy paraffinic	Not available.	Dermal Rabbit > 5000 mg/kg



Lubricating oils (petroleum), C15-C30,		Oral Rat >5000 mg/kg;
hydrotreated neutral oil-based	Not available.	Dermal Rabbit >2000 mg/kg
Tris(2-ethylhexyl) orthoborate	Not available.	Oral Mouse 3300 mg/kg
		Oral Rat 3200 mg/kg;
Dibutyl phosphite	Not available.	Dermal Rabbit 1990 mg/kg
Benzene, polypropene derivatives, sulfonated,		
calcium salts	Not available.	Not available.
Diphenylamine	Not available.	Not available.
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	Not available.	Not available.

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)	
10 - 20 mg/L 4hr, rat	> 2000 mg/kg, rat	> 2000 mg/kg, rabbit	
		Chemical Listed as Carcinogen or	

Ingredient	Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Distillates (petroleum), hydrotreated light paraffinic	Not listed.
Distillates (petroleum), hydrotreated heavy paraffinic	Not listed.
Lubricating oils (petroleum), C15-C30, hydrotreated neutral	
oil-based	Not listed.
Tris(2-ethylhexyl) orthoborate	Not listed.
Dibutyl phosphite	Not listed.
Benzene, polypropene derivatives, sulfonated, calcium salts	Not listed.
Diphenylamine	G-A4
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	Not listed.

* See Section 15 for more information.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.		
Serious Eye Damage/Irritation:	Based on available data, the classification criteria are not met.		
Respiratory Sensitization:	Based on available data, the classification criteria are not met.		
Skin Sensitization:	May cause an allergic skin reaction.		
STOT-Single Exposure:	Based on available data, the classification criteria are not met.		
Chronic Health Effects:			
Carcinogenicity:	Based on available data, the classification criteria are not met.		
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.		
Reproductive Toxicity:			
Developmental:	Based on available data, the classification criteria are not met.		
Fertility:	Based on available data, the classification criteria are not met.		
STOT-Repeated Exposure:	Based on available data, the classification criteria are not met.		
Aspiration Hazard:	Based on available data, the classification criteria are not met.		
Other Information:	Not available.		

NEXREG



Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation:

Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Other disposal recommendations:

tions: Not available.
Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

Not regulated.

14.2 UN PROPER SHIPPING NAME

Not applicable.

14.3 TRANSPORT HAZARD CLASS(ES)

Not applicable.

14.4 PACKING GROUP

Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.





Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (Ibs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillates (petroleum), hydrotreated light paraffinic	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated heavy paraffinic	Not listed.	Not listed.	Not listed.	Not listed.
Lubricating oils (petroleum), C15- C30, hydrotreated neutral oil-based	Not listed.	Not listed.	Not listed.	Not listed.
Tris(2-ethylhexyl) orthoborate Dibutyl phosphite	Not listed. Not listed.	Not listed. Not listed.	Not listed. Not listed.	Not listed. Not listed.
Benzene, polypropene derivatives, sulfonated, calcium salts	Not listed.	Not listed.	Not listed.	Not listed.
Diphenylamine	Not listed.	Not listed.	Not listed.	313
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations

California Proposition 65:

This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

Ingredient		USA TSCA
Distillates (petroleum), hydrotreated light paraffinic		Yes.
Distillates (petroleum), hydrotreated heavy paraffinic		Yes.
Lubricating oils (petroleum), C15-C30, hydrotreated neutral oil-based		Yes.
Tris(2-ethylhexyl) orthoborate		No.
Dibutyl phosphite		Yes.
Benzene, polypropene derivatives, sulfonated, calcium salts		Yes.
Diphenylamine		Yes.
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives		Yes.
NFPA-National Fire Protection Association:		
Health:	2	
Fire:	1	
Reactivity:	1	

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

NEXREG



SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

- A1 Confirmed human carcinogen.
- A2 Suspected human carcinogen.
- A3 Animal carcinogen.
- A4 Not classifiable as a human carcinogen.
- A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.
 - 2 Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation:	May 23, 2014
Version:	1.0
Revision Date:	May 23, 2014

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:	Nexreg Compliance Inc. Phone: (519) 488-5126 www.nexreg.com
Prepared for:	International Lubricants Inc.

End of Safety Data Sheet



Visit SCL http://shop.sclubricants.com/lubegard-universal-cvt-fluid