Material Safety Data Sheet

1 Chemical Product and Company Identification

Red Line Synthetic Oil Corp 6100 Egret Court Benicia, CA 94510 USA Tel: (707) 745-6100

Product Trade Name Red Line Motor Oils, Race Oils, Motorcycle Oils

0W20, 0W30, 0W40, 5W20, 5W30, 5W30 Euro, 5W40, 5W40 Euro, 5W50, 10W30, 10W40, 10W50, 10W60, 15W40 Diesel,

15W50, 20W50

Motorcycle Oils: 10W30, 10W40, 20W50, 20W60

Race Oils: 2WT, 5WT, 10WT, 20WT, 30WT, 40WT, 50WT, 60WT, 70WT

CAS Number Not applicable for mixtures.

SynonymsNone.Generic Chemical NameMixture.Product TypeMultipurpose.Preparation/Revision Date8 May 2013

Transportation Emergency Phone

FOR TRANSPORT EMERGENCY call: (+1) 707-400-0215

2 Hazards Identification

Appearance Reddish brown liquid.

Odor Mild

Principal Hazards

This material has no known health hazards.

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients		
Hazardous Ingredients This material has no known hazards under applicable laws.			
4	First Aid Measures		
Eyes	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.		
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse		
Inhalation	Remove exposed person to fresh air if adverse effects are observed.		
Oral	DO NOT INDUCE VOMITING. Get immediate medical attention.		
Additional Information	Note to physician: Treat symptomatically.		
5	Fire Fighting Measures		
Flash Point	> 200 °C, >390 °F COC (Typical)		
Extinguishing Media	CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.		
Firefighting Procedures	Recommend wearing self-contained breathing apparatus. Water may cause splattering.		
Unusual Fire & Explosion Hazards	See section 10 for additional information.		

6 Accidental Release Measures

Spill Procedures Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if

spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways. Pick up free liquid for

recycle and/or disposal. Residual liquid can be absorbed on inert material.

7 Handling and Storage

Pumping Temperature Ambient **Maximum Handling Temperature** 70 °C, 158 °F

Red Line Motor Oils

Handling Procedures Keep containers closed when not in use. Wash thoroughly after handling. Launder contaminated clothing before reuse.

Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in

accordance with local, regional, national and international regulations.

Maximum Storage Temperature

Storage Procedures

Not determined.

Maximum Loading Temperature

See section 10 for incompatible materials. Not determined.

8 Exposure Controls/Personal Protection

Exposure Limits None established

Other Exposure Limits Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH

TWA of 5 mg per cubic meter.

Engineering Controls Use with adequate ventilation.

Gloves Procedures Nitrile. Neoprene. Eye Protection Safety Glasses.

recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other

poorly ventilated areas and for large spill clean-up sites.

Clothing Recommendation Long sleeve shirt is recommended. When working with heated material, wear heat protective clothing. Launder contaminated

clothing before reuse.

9 Physical and Chemical Properties

Flash Point >200 °C, >390 °F COC (Typical)

Upper Flammable Limit Not determined.

Lower Flammable Limit Not determined.

Autoignition Point Not determined.

Explosion Data Material does not have explosive properties.

Vapor Pressure Not determined. pН Not determined. Specific Gravity 0.9 (15.6 °C) **Bulk Density** Not determined. Water Solubility Insoluble. Percent Solid Not determined Percent Volatile Not determined. Volatile Organic Compound Not determined. Vapor Density Not determined. **Evaporation Rate** Not determined.

Odor Mild

Appearance Reddish brown liquid.

Viscosity >22 Centistokes (40 °C)

Odor ThresholdNot determined.Boiling PointNot determined.Pour Point Temperature<-20 °C, <-4 °F</th>Melting / Freezing PointNot determined.

The above data are typical values and do not constitute a specification.

10 Stability and Reactivity

Stability Material is normally stable at moderately elevated temperatures and pressures.

 Decomposition Temperature
 Not determined.

 Incompatibility
 Oxidizing agents.

 Polymerization
 Will not occur.

Thermal Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

Conditions to Avoid Not determined

11 Toxicological Information

- ACUTE EXPOSURE -

Eye Irritation Not expected to cause eye irritation. Based on data from components or similar materials. Vapors formed from heating may

cause eye irritation.

Red Line Motor Oils

Skin Irritation Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated skin

contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and

cracking of the skin.

Respiratory Irritation If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the

upper respiratory tract. Based on data from similar materials.

 Dermal Toxicity
 The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.

 Inhalation Toxicity
 No data available to indicate product or components may be a toxic inhalation hazard.

 Oral Toxicity
 The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.

Dermal SensitizationNo data available to indicate product or components may be a skin sensitizer.Inhalation SensitizationNo data available to indicate product or components may be respiratory sensitizers.

- CHRONIC EXPOSURE -

Chronic Toxicity No data available to indicate product or components present at greater than 1% are chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under

IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity

No data available to indicate either product or components present at greater than 0.1% that may cause reproductive

toxicity.

Teratogenicity No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

- ADDITIONAL INFORMATION -

Other No other health hazards known.

12 Ecological Information

- ENVIRONMENTAL TOXICITY -

Freshwater Fish Toxicity Not determined.

Freshwater Invertebrates Toxicity Chronic effects expected at 1 - 10 mg/L based on component data.

Algal Inhibition Not determined.

Saltwater Fish Toxicity Not determined.

Saltwater Invertebrates Toxicity Not determined.

Bacteria Toxicity Not determined.

Miscellaneous Toxicity Not determined.

- ENVIRONMENTAL FATE -

Biodegradation At least 25% of the components in this product show moderate biodegradation based on OECD 301-type test data. At least

25% of the components in this product show moderate biodegradation based on OECD 302-type test data.

Bioaccumulation Less than 1.0% of the components potentially bioconcentrate, based on octanol/water coefficients.

Soil Mobility Not determined.

13 Disposal Considerations

Waste Disposal This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage,

transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14 Transport Information

ICAO/IATA I Not regulated. ICAO/IATA II Not regulated. **IMDG** Not regulated. IMDG EMS Fire Not applicable. IMDG EMS Spill Not applicable. IMDG MFAG Not applicable. MARPOL Annex II Not determined **USCG Compatibility** Not determined. U.S. DOT Bulk Not regulated. DOT NAERG Not applicable. **U.S. DOT (Intermediate)** Not regulated. U.S. DOT Intermediate NAERG Not applicable. U.S. DOT Non-Bulk Not regulated. U.S. DOT Non-Bulk NAERG Not applicable. Not regulated. Canada

Mexico

Not regulated.

Review classification requirements before shipping materials at elevated temperatures.

15 Regulatory Information	
---------------------------	--

- Global Chemical Inventories --

USA All components of this material are on the US TSCA Inventory or are exempt.

Other TSCA Reg. None known.

All components comply with the EU 7th Amendment and are approved for EU sales.

Japan All components are in compliance with the Chemical Substances Control Law of Japan.

Australia All components are in compliance with chemical notification requirements in Australia.

New Zealand All components are in compliance with chemical notification requirements in New Zealand.

Canada All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic

Substances List.

Taiwan All components of this product are listed on the Taiwan inventory.

- Other U.S. Federal Regulations -

SARA Ext. Haz. Subst.

This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances

list.

SARA Section 313 This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances

listed under SARA Section 313.

SARA 311 Classifications

Acute Hazard	No
Chronic Hazard	No
Fire Hazard	No
Reactivity Hazard	No

CERCLA Hazardous Substances None known.

16 Other Information

US NFPA Codes	Health	Fire	Reactivity	Special
	1	1	0	N/E

(N/E) - None established

HMIS Codes	Health	Fire	Reactivity
	0	1	0

Precautionary Labels

This material has no known health hazards.

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.

