

QUAKER STATE ULTIMATE DURABILITY SAE 5W-30 FULL SYNTHETIC MOTOR OIL

TECHNICAL DATA SHEET



Quaker State® Ultimate Durability™ full synthetic motor oil is the best of the Quaker State® products. Offering More Fuel Economy,¹ More Wear Protection,² More Engine Life,² and More Performance,³ Quaker State® Ultimate Durability™ motor oil is specially formulated to protect today's sophisticated engines.

1 Compared to industry standard Sequence VID

2 Compared to industry standard Sequence IVA

3 Compared to Quaker State® Conventional

PERFORMANCE, FEATURES & BENEFITS

- More fuel economy, saving an average of 5 cents per gallon of gas with the help of a fuel saving additive that keeps the oil fresh⁴
- More protection, no leading synthetic motor oil provides better protection from friction-related wear²
- More engine life, as your engine temperature increases, heat-activated viscosity improvers and anti-wear additives kick-in to maintain oil thickness to help extend engine life²
- More performance, excellent lubrication in freezing temperatures³
- Improved resistance to engine stress at high engine speeds or under heavy loads³
- Superior resistance to thermal and viscosity breakdown³
- Excellent protection against the formation of sludge and other harmful deposits³

■ 2 Compared to industry standard Sequence VID 1 and Sequence IVA

■ 3 Compared to Quaker State® Conventional

4 US: Compared to industry fuel economy (FE) standard as measured in Sequence VID w/ SAE 5W-30 engine oil. Savings based on avg. FE improvement of 1.4% @\$3.68/gal gas, eia.gov

4 Canada: Compared to industry fuel economy (FE) standard as measured in Sequence VID w/ SAE 5W-30 engine oil. Savings based on avg. FE improvement of 1.4% @\$1.35/litre gas, nrcan.gov

MAIN APPLICATIONS

The unique properties of Quaker State® Ultimate Durability™ full synthetic motor oil are especially apparent in the following applications:

- European vehicles
- Technologically advanced engines
- New and older vehicles, especially high performance vehicles such as sport cars, SUVs, trucks and minivans
- Vehicles driven in extreme temperatures
- Compatible with biofuels ranging from E10 to E85 and suitable for hybrid vehicles

SPECIFICATIONS, APPROVALS & RECOMMENDATIONS

- Chrysler MS-6395
- GM 6094M, 4718M, dexos1™ (license GB1A0702014)
- Ford WSS-M2C929-A, WSS-M2C946-A
- Honda/Acura HTO-06

Exceeds the requirements of the following industry specifications:

- API SN and all previous categories
- ILSAC GF-5

For a full listing of equipment approvals and recommendations, please consult your local Technical Help Desk.

© SOPUS Products 2014. All rights reserved. CS8531

QUAKER STATE ULTIMATE DURABILITY SAE 5W-30 FULL SYNTHETIC MOTOR OIL

To find the right Quaker State® product for your vehicles and equipment, please consult www.quakerstate.com to look up the right motor oil recommendation using our oil selector.

TYPICAL PHYSICAL CHARACTERISTICS

Properties		Method	Quaker State® Ultimate Durability™ Full Synthetic Motor Oil
Viscosity Grade			5W-30
API Service			SN/CF
ILSAC			GF-5
ACEA			N/A
Density	kg/m ³	ASTM D4052	840
Flash Point	°C	ASTM D93	237
Pour Point	°C	ASTM D97	-42
Kinematic Viscosity	@40°C cSt	ASTM D445	60.0
Kinematic Viscosity	@100°C cSt	ASTM D445	10.8
Viscosity Index		ASTM D2270	178
CCS Viscosity	@-30°C cP	ASTM D5293	4930
MRV Viscosity	@-35°C cP	ASTM D4684	12400

These characteristics are typical of current production. While future production will conform to Quaker State's® specification, variations in these characteristics may occur.

HEALTH, SAFETY & ENVIRONMENT

Health and Safety

Quaker State® Ultimate Durability™ Full Synthetic Motor Oil is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Guidance on Health and Safety is available on the appropriate Material Safety Data Sheet, which can be obtained from your Quaker State® Lubricants distributor representatives or technical help desks.

Protect the Environment

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.

ADDITIONAL INFORMATION

Advice

Advice on applications not covered here may be obtained from your Quaker State® Lubricants distributor representatives or technical help desks.

